OPIC OFFICE DE LA PROPRIÉTÉ

INTELLECTUELLE DU CANADA



(12) (19) (CA) Demande-Application

CIPO
CANADIAN INTELLECTUAL
PROPERTY OFFICE

(21) (A1) **2,257,697**

(22) 1998/12/31 (43) 2000/06/30

.

(72) ZHANG, Kewei, CA

(72) PIERCE, Ron, CA

(72) LITT, Nicole Deanne, CA


(72) GUPTA, D. V. Satyanarayana, CA


(71) FRACMASTER LTD., CA

(51) Int.Cl.⁶ E21B 43/27

(54) MOUSSE-LIQUIDE POUR FRACTURER DES FORMATIONS SOUTERRAINES

(54) FOAM-FLUID FOR FRACTURING SUBTERRANEAN FORMATIONS





(57) A fracturing fluid for use in fracturing subterranean formations surrounding oil and gas wells comprises water, an anionic surfactant, and a cationic surfactant.

ABSTRACT

A fracturing fluid for use in fracturing subterranean formations surrounding oil and gas wells comprises water, an anionic surfactant, and a cationic surfactant.

FOAM-FLUID FOR FRACTURING SUBTERRANEAN FORMATIONS

Field of the Invention

The present invention relates to the field of fluids for fracturing subterranean formations, such as the formations surrounding oil or gas wells, to increase their permeability, and thereby increase the potential flow of recoverable hydrocarbons therefrom.

Background of the Invention

In order to improve the recovery of hydrocarbons from oil and gas wells, the subterranean formations surrounding such wells can be fractured. That is, fluid can be introduced into the formations through the well bores, under high pressure, to open the pores and cracks in the formations. The fluids preferably are loaded with proppants, which are particles of hard material such as sand, to wedge open cracks or pores in the formation, and thereby permanently increase permeability and hydrocarbon flow. Therefore, the fracturing fluids are preferably of high viscosity, and therefore capable of carrying effective volumes of proppant material.

Preferably, the fracturing fluid is susceptible of viscosity drop, so as to be easily removed from the well after fracturing. The fluid should also be fairly non-toxic to the well. That is, it should not leave residue that will form a cake to clog the well, or that will leave undesisrable traces in the recoverable hydrocarbons that may be expensive to remove.

Fracturing fluids in common use include aqueous gels and hydrocarbon gels, found by the introduction of cross-linkable polymers into an aqueous or hydrocarbon fluid, followed by the catalyzed cross-linking of the polymers, and the subsequent breaking of the gels, for instance

5

10

15

by pH adjustment. These types of systems are quite effective, but require extensive well clean up.

It has been proposed, for instance in U.S. Patent No. 5,551,516, to provide a fracturing fluid with good viscosity and little residue by combining an inorganic salt stabilizer, a surfactant/thickener and an organic salt or alcohol. The fluid may also contain a gas, and thereby be in the form of a foam. The fluid disclosed in U.S. Patent No. 5,551,516 develops viscosity of between 150 and 200 cp @ 170 sec⁻¹ at temperatures of about 40° - 50° C, and surfactant loadings of up to about 5%.

5

10

15

Similar results for viscoelastic surfactant fluids utilizing a single surfactant have been reported by Brown et al in "Use of Viscoelastic Carrier Fluid in Frac-Pack Applications, SPE 31114 (1996) and Stewart et al, "Use of Solids-Free Viscous Carrying Fluid in Fracturing Applications: An Economic and Productivity Comparison in Shallow Completions" SPE 30114 (1994).

It is known, moreover, to utilize a surfactant in an aqueous medum as the external phase of a CO₂ foam, as shown in U.S. Patent No. Re 32 302. The surfactant in such a foam may be an alkyl quaternary amine, a betain, a sulfated alkoxylate, or an ethoxylated linear alcohol. A foam using alpha olefin sulfonate as a surfactant, with a polymer such as a guar, is shown in U.S. Patent No. 5,556,760.

The object of the present invention is to provide a fracturing foam utilizing an anionic surfactant in combination with a cationic surfactant, in water, as an external phase which at total loadings of up to about 6%, but usually less than 1%, surfactant delivers viscosity at 10° - 70°C.

The applicant has found that a combination of an anionic surfactant, such as sodium xylene sulfonate, with a cationic surfactant such as N, N, N trimethyl-1-octadecamonium chloride will form a viscoelastic gel very quickly, and can be mixed batch-wise in advance, or on-the-fly for use as a fracturing fluid. Inorganic salts may be added as stabilizers, but these are not strictly necessary.

5

10

15

At fairly low total surfactant loadings, foams are favorably formed, using, by volume, 50% - 96%, or more of CO₂.

For instance, a loading of 3 L/m³ of each of a cationic surfactant such as N, N, N, trimethyl-1-octadecamonium chloride and an anionic surfactant such as sodium xylenesulfonate, with no additional foaming agent, yields a gel with 25 cp viscosity at room temperature, and favorable foaming characteristics.

In a broad aspect, then, the present invention relates to a fracturing foam for use in fracturing subterranean formations surrounding oil and gas wells comprising water, an anionic surfactant, and a cationic surfactant, and from 53% to 96% or more of CO₂ by volume.

Brief Description of the Drawings

The drawing that illustrates the present invention by way of example, Figure 1, is a graph of viscosity at combined surfactant concentrations against temperature.

Detailed Description

5

10

15

The present invention provides a viscoelastic fracturing foam capable of achieving high viscosity at a wide range of temperature. An anionic surfactant, such as sodium xylene sulfonate is combined with a cationic surfactant, such as N, N, N, trimethyl-1-octadecamonium chloride, in water, in ratios of from about 1:4 to about 4:1 by volume, to obtain a clear viscoelastic gel capable of proppant transport. Other anionic and/or cationic surfactants may be used as will be obvious to one skilled in the art. The gel can be batch-mixed or mixed on-the-fly. The gel exhibits a fairly low surface tension, in the area of about 30 dynes/cm², which aids in rapid flow-back for cleaning up the well after fracturing. The gel is then mixed with from 53% to 96% or more CO₂ to form a foam.

The gel exhibits good foaming characteristics at low loadings of about 3 L/m³ of each of the anionic and cationic surfactants.

Referring to Figure 1, achieved viscosity of the viscoelastic gel of the present invention is illustrated, at given cationic surfactant (FAC-1X) concentrations. Corresponding anionic surfactant (FAC-2X) concentrations are as set out below in Table 1.

TABLE 1

FAC-1X L/m³	FAC-1X %	FAC-2X L/m³	FAC-2X %
3.0	0.3	3.0	0.3
7.0	0.7	5.5	0.55
10.0	1.0	8.0	0.8
15.0	1.5	10.0	1.0
20.0	2.0	13.0	1.3
25.0	2.5	14.5	1.45
30.0	3.0	18.0	1.8
35.0	3.5	20.0	2.0
40.0	4.0	20.5	2.05

5

10

15

20

In each case, the surfactant were mixed with water, and blended together with an overhead blender at low speed. The resulting fluid was placed in a pressured Fann 50 rheometer, where viscosity was measured over a measured range of temperatures.

It will be understood that the data presented in Figure 1 is exemplary in nature. As can be seen from Figure 1, however, a wide range of concentrations of anionic and cationic surfactants will result in gels having high viscosities. The gels of lower viscosities have been surprisingly found to foam effective proppant transporting foams with the addition of CO_2 in quantities of 53% - 96% by volume.

It will be understood that other gases, such as nitrogen, may be freely substituted for CO₂ in the present invention.

The aqueous two surfactant fluid of the present invention was tested for foaming capability according to the following procedure:

- 1. 250 ml H₂O was placed in a blender;
- anionic surfactant was added (sodium xylene sulfonate);
- 5 3. foamer added (if applicable);

10

- 4. cationic surfactant added (N, N, N, trimethyl-1-octadecamonium chloride);
- 5. blender speed increased to maximum of 20 seconds;
- 6. foam poured onto graduated cylinder, and timer started.

Results are summarized below in Table 2. It will be understood the, that with no additional foamers or stabilizers, a foam according to the present invention, that is stable, will be easily produced. Other acceptable foams are possible with some conventional additives, but are such additional ingredients, with additional expense, are not considered necessary in most cases.

TABLE 2

PUT 250 ML WATER IN BLENDER, ADD FAX-2X, THEN FOAMER IF INCLUDED, THEN THE FAX-1x. INCREASE THE BLENDER SPEED TO 100% TO PRODUCE FOAM FOR 20 SECONDS. STOP BLENDER AND POUR FOAM INTO GRAD CYTINDER START THATE

Ś

2

5

TEST 2 TEST 3 TEST 4 TEST 5 1850 250 250 250 250 250 20	STOT DELINDER, START I IMIO GRAD CTLINDER, START I IMER.	ONLY IN TO CINA	U C I LINDER,	SIAKI IIMEK.				
MARE 250 250 250 250 250 250 250 MARS SIZE 500 500 1000 500 1000 MARS SIZE 20 20 20 20 20 MARS SIZE 20 20 20 20 20 MARS SIZE 20 20 20 20 20 MARS SIZE 250 250 250 250 20 MARS SIZE 250 250 250 250 20 MARS SIZE 1000 1000 1000 1000 1000 1000 MARS SIZE 1000 1000 1000 1000 1000 1000 1000 MARS SIZE 1000 1000 1000 1000 1000 1000 1000 MARS SIZE 1000 1000 1000 1000 1000 1000 1000 MARS SIZE 1000 100		TEST 1	TEST 2	TEST 3	TEST 4	TEST 5	TEST 6	_
NDER SIZE 500 500 1000 500 1000	WATER VOLUME	250	250	250	250	250	250	
EC) 20 20 20 20 20 20 20 2	GRAD CYLINDER SIZE	200	500	1000	500	1000	005	
13 13 13 13 13 13 13 13	MIX TIME (SEC)	20	20	20	20	20	200	
13 13 13 13 13 13 13 13	FAC-1X 9 (L/m³)	20	20	20	20		3	
1	FAC-2X (L/m³) ³	13	13		13			
This COCCO This COCCO	WF-1 (L/m ³) ³		5			20		
HT (ML)								
HT (ML) 450 575-600 1100 380 115	WG-15 (kg/m3) ⁵							
MIN) FOREVER 1.5-2 6 MIN 9 SEC RIGHT AWAY 1 MIN XL BROKE NOT GOOD FOAMED GOOD BROKE NOT GOOD TEST 10 TEST 11 LÜME 250 250 250 250 250 VÜME SIZE 1000 1000 1000 1000 1000 FEC) 20 20 20 20 20 20 FEC) 20 20 20 20 20 20 20 Im*) 7 10 20	FOAM HEIGHT (ML)	450	575-600	1100	380	1150	200	
TEST 7 TEST 9 TEST 10 TEST 11 TEST 1	HALF LIFE (MIN)	FOREVER	1.5-2	6 MIN 9 SEC	RIGHT AWAY	NW T	TO MINISTER SER	
TEST 7 TEST 8 TEST 10 TEST 11	COMMENTS	ХL	BROKE NOT GOOD	FOAMED GOOD	BROKE NOT GOOD		THE THE SEL	
JUME 250 250 250 250 250 250 250 250 250 250 250 250 250 250 250 250 250 200 <td></td> <td>TEST 7</td> <td>TEST 8</td> <td>TEST 9</td> <td>TEST 10</td> <td>TEST 11</td> <td>TEST 12</td> <td></td>		TEST 7	TEST 8	TEST 9	TEST 10	TEST 11	TEST 12	
NDER SIZE 1000 1000 1000 1000 1000 FEC) 20 20 20 20 20 IEC) 20 20 20 20 In I	WATER VOLUME	250	250	250	250	250	250	
EC) 20 20 20 20 /m²) 7 3 3 n²) 5.5 10 3 m²) 5.5 10 3 m²) 5.5 10 3 m²) 3 3 3 HT (ML) 560 900 600 800 780 HT (ML) 560 900 600 800 780 MIN) 10 MIN-0 SEP 11 5 MIN-1 25ML 12 SMIN-1 25ML 12 SMIN-1 25ML scallingare accompanium chloride scallingare accohol enhoxysulfate m alcohol AL GOOD 10 MIN-20ML SEP 11 5 MIN-1 25ML	GRAD CYLINDER SIZE	1000	1000	0001	1000	1000	1000	
/m²) 7 3 n²) 5.5 10 3 n²) 10 5 3 m²) (COCO) 3 3 3 HT (ML) 560 900 600 800 780 HT (ML) 560 900 600 800 780 MIN) 10 MIN-0 SEP 10 MIN-120ML SEP 11 5 MIN-123ML 11 5 MIN-123ML scallignate xL GOOD 11 5 MIN-123ML 12	MIX TIME (SEC)	20	20	20	20	20	20	
n²) 5.5 10 3 (m²) (COCO) 10 5 10 5 HT (ML) 560 900 600 800 780 MIN) 10 MIN-10 SEP 11 5 MIN-135ML 11 5 MIN-135ML 12 Scalingase 24 GOOD 10 MIN-10 ML SEP 11 5 MIN-135ML 13	FAC-1X9(L/m²)	7				3	7	
m²) (COCO) 10 5 10 5) 3 3 3 3 HT (ML) 560 900 600 800 780 MIN) 10 MIN-0 SEP 10 MIN-10ML SEP 11 5 MIN-125ML 11 5 MIN-125ML 1- octadecamonum chloride squitinam chloride squitinam scholol erhoxyzulfate in abchol AL GOOD 11 5 MIN-125ML 1	FAC-2X (L/m²)	5.5				3	5.5	
(m²) (COCO) 5 10 5 (m²) (COCO) 3 3 3 HT (ML) 560 900 600 800 780 MIN) 10 MIN-0 SEP 10 MIN-10ML SEP 11 5 MIN-123ML 2 Li-octadecamonum chloride scallignate xL GOOD 10 MIN-10ML SEP 11 5 MIN-123ML 2	WF-1 (L/m')		01					
1	97-045XA (L/m') (COCO)			5	10	5	5	
HT (ML) 560 900 600 800 780 MIN) 10 MIN-0 SEP 10 MIN-125ML SEP 11 5 MIN-125ML 11 5 MIN-125ML 1- octadecamonium chloride stadionale autochol erboxyzulfate in alcohol 4 GOOD 10 MIN-10ML SEP 11 5 MIN-125ML 2	wg-15 (kg/m3)		3		3			
MIN) 10 MIN-0 SEP 10 MIN-13ML 11 5 MIN-13ML 1-0-ctadecamonum chloride scalifonac XL GOOD 3	FOAM HEIGHT (ML)	560	006	009	800	780	720	
XL GOOD XL GOOD In Catalogue and China and Chi	HALF LIFE (MIN)	10 MIN-0 SEP	. 10 MIN	10 MIN-20ML SEP	10 MIN-10ML SEP	11 5 MIN-125ML	10 MIN-0 SEP	
	COMMENTS	ХĽ	g000				X	
The point of the p	n. n-trmethyl-1-octadecamonium chloride sodium xydenesulfanae ammonium salt of linear alcohol erhoxysulfai coco-betaine suar polymer	de in alcohol						

-7-


20

5

It will be understood then, that with no additional foamers or stabilizers, a foam according to the present invention that is stable will be easily produced. Other acceptable foams are possible with some conventional additives, but are such additional ingredients, with additional expense, are not considered necessary in most cases.

THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

- 1. A foam fracturing fluid for use in fracturing subterranean formations surrounding oil and gas wells comprising water, an anionic surfactant, a cationic surfactant, and gaseous CO₂.
- 5 2. A fluid as claimed in claim 1, wherein said anionic surfactant is sodium xylenesulfonate.
 - 3. A fluid as claimed in claim 2, wherein said cationic surfactant is N, N, N, trimethyl-1-octadecamonium chloride.
 - 4. A fluid as claimed in claim 1, 2 or 3, wherein said cationic surfactant is added to said water in a quantity of from about 2 L/m^3 to about 60 L/m^3 .
- 5. A fluid as claimed in any one of claims 1 4, wherein said anionic surfactant is added to said water in quantities of about 2.0 L/m³ to about 30 L/m³.
 - 6. A fluid as claimed in any one of claims 1 5, wherein the ratio of said anionic to said cationic surfactant is about 1:4 to about 4:1, by volume.
 - 7. A fluid as claimed in any one of claims 1 6, further including and inorganic salt.
- 8. A fluid as claimed in any one of claims 1 7, wherein said CO₂ is present in a quantity, by volume of 53% to in excess of 96%.






FIG. 1